

AD-A100 406

OFFENSE MAPPING AGENCY AEROSPACE CENTER ST LOUIS AFS MO F/G 9/2
MATRIX DATA ANALYSIS: COLOR/BAW CODING IS NOT ALWAYS ENOUGH. (U)
1981 M B FAINTICH


UNCLASSIFIED

NL

1-1-1
SERIES



						END DATE FILMED 1-2 DTIC
--	--	--	--	--	--	--------------------------------------



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963-A

AD A108406

BMC FILE COPY

LEVEL II

①

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
	AD-A108406	406
4. TITLE (and Subtitle) Matrix Data Analysis: Color/B&W Coding is Not Always Enough		5. TYPE OF REPORT & PERIOD COVERED Interim, 1976-1981
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Dr. Marshall B. Faintich		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Defense Mapping Agency Aerospace Center/CDT St. Louis AFS, MO 63118		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Defense Mapping Agency		12. REPORT DATE 1981
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Unlimited.		
<div style="border: 1px solid black; padding: 5px; text-align: center;"> DISTRIBUTION STATEMENT A Approved for public release Distribution Unlimited </div>		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES To be presented at the Society for Information Display International Symposium, 11-13 May 1982, San Diego, California.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Image Displays, Data Bases, Matrix Analysis		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The Defense Mapping Agency produces digital cartographic data bases that describe the physical appearance of the surface of the earth. Specialized processing and display techniques such as convolution filtering, texture discrimination, and specialized color/B&W displays allow for sophisticated analyses that are applicable to all types of matrix data.		

LTIC
ELECTE
S DEC 10 1981 D

407789 x14

MATRIX DATA ANALYSIS:
COLOR/B&W CODING IS NOT ALWAYS ENOUGH

Dr. Marshall B. Faintich
Chief, Aerospace Cartography Department Techniques Office
Defense Mapping Agency Aerospace Center
St. Louis Air Force Station, Missouri 63118

ABSTRACT

The Defense Mapping Agency produces digital cartographic data bases that describe the physical appearance of the surface of the earth. Specialized processing and display techniques such as convolution filtering, texture discrimination, and specialized color/B&W displays allow for sophisticated analyses that are applicable to all types of matrix data.

Accession For	
DTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

DTIC
ELECTE
DEC 10 1981
S D D

CLEARED
FOR OPEN PUBLICATION

DEC 7 - 1981 3

DIRECTORATE FOR FREEDOM OF INFORMATION
AND SECURITY REVIEW (OASD)-PA
DEPARTMENT OF DEFENSE

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

81 12 09 067

3799

MATRIX DATA ANALYSIS

COLOR/B&W CODING IS NOT ALWAYS ENOUGH

Background

The Defense Mapping Agency produces digital data bases that describe the physical appearance of the surface of the earth. These data bases include, but are not limited to, terrain elevation, culture including landscape characteristics, and vertical features. This data is collected from digitized source maps, from optically or digitally correlated stereo-pairs of photographic imagery, and from digital multi-spectral sensor data. A dramatic impact has been made in the ability to analyze these digital data bases by applying state-of-the-art digital image technology processing and display concepts. These include a variety of color and/or black and white displays of not only intensity/color coded matrix data, but also image processed data using specialized convolution filters, texture discrimination, and special color representation techniques. In addition, computer generated imagery from these data bases serve as a final analysis tool.

Techniques and Results

With results similar to those from manually compiled classical mapping and charting displays, digital terrain elevation data may be used to generate a standard contour plot and the corresponding tint plate in which the areas between contour lines are either color or gray level coded. An alternative is to color or gray level code the matrix terrain data directly. While analysis of these matrix image displays is superior to trying to perform analysis by visual inspection of the data in printed numerical matrix format, they only provide for a low spatial resolution analysis capability. Shaded relief display with variable

illumination adds additional information for analysis of all types of matrix data, but is particularly meaningful for cartographic data because of the relationship to the physical world. Higher spatial resolution analysis of the shaded relief display may be gained by applying photogrammetric models to generate pseudo-stereo-pairs of images in which spike points are apparent under stereoscopic analysis. These techniques, used singly or in combination, allow for matrix data analysis far superior to techniques of a decade ago, but they are not enough.

In order to perform high resolution anomaly analysis of matrix data for the purpose of either quality control or information gathering, advanced techniques are required. These techniques include convolution filtering, texture discrimination, and specialized color representation.

Convolution filters have been used very effectively to enhance matrix data to show processing anomalies as well as where data has been merged from different production equipment, different stereo models, different production methods, variable requirement specifications, and even from different analysts. These types of filters are used extensively by the image processing community to detect edge differences, and then to re-apply the differences to sharpen the original image. They also have been shown to be a powerful tool for the analysis of matrix data.

Texture analysis has proven to be very powerful for discriminating small area data that has been merged into larger matrices. For example, digital elevation data produced at a one arc second interval was sampled and merged with three arc second data. Because of inherent higher frequency information in the one arc second data, there is a noticeable difference between the textures of the levels of data in shaded relief displays. A similar difference is noticed with digital culture data.

For the purpose of determining compatability between data types, such as between digital terrain and culture data, simple color coding and overlay in Red-Blue-Green (RBG) space may not be sufficient. A more powerful technique employs coding each data type along an Intensity-Hue-Saturation (IHS) axis and then converting from IHS space to RBG space prior to display. Since the visual perception process can distinguish variation between IHS, the data types can be overlaid without a merging of colors, and therefore, without an information loss.

Finally, and probably unique to map type data, is the technique of computer generating landform scenes as seen by various visual and electro-optical sensors. This allows for a final quality control analysis of information content, and also has been very valuable in the definition of data base requirement specification.

Impact

The impact of these digital image technology concepts to matrix data display and analysis have been enormous. Not only has there been a greatly increased capability for the degree and sophistication of quality control, but there is an associated cost savings in both the quality control review process, and in the resultant expense of using matrix data containing anomalies. These techniques have application to all types of matrix data production as well as for the analysis of all types of real matrix data.

References

Buchanan, M. D.; 1979; "Effective Utilization of Color in Multidimensional Data Presentations," SPIE Proceedings, Volume 199, pp. 9-18.

Faintich, M.; Sigler, G.; Fahy, D.; 1978; "Advances in Digital Image Display and Simulation from Digital Terrain Data Bases," Proceedings of the International Society of Photogrammetry Symposium, Commission IV, Ottawa, Canada, 2-6 October 1978, pp. 111-135 (reprinted in The Optronics Journal, May 1979, pp. 1, 4-7).

Faintich, M. B.; 1979; "Digital Image Technology: MC&G Impact," Harvard Library of Computer Graphics/1980 Mapping Collection," Volume 10, pp. 29-40. (Reprinted in condensed form in the Proceedings of the American Society of Photogrammetry: 1980 Annual Convention, pp. 32-43.)

Faintich, M. B.; 1981; "Digital Cartographic Systems at the Defense Mapping Agency Aerospace Center," SPIE Proceedings, Volume 301, paper 301-25.

Author's Note: Most the examples to be shown in the presentation are new and not covered by the above references.

END

DATE
FILMED

1-82

DTIC